(12)

EUROPEAN PATENT APPLICATION

- (88) Date of publication A3: 01.03.2000 Bulletin 2000/09
- (43) Date of publication A2: 01.04.1998 Bulletin 1998/14
- (21) Application number: 97202954.0
- (22) Date of filing: 25.09.1997

(51) Int Cl.7: **B29C 65/10**, B31B 3/64 // B29L23:00

(11)

(84) Designated Contracting States: AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC **NL PT SE Designated Extension States:**

AL LT LV RO SI

- (30) Priority: 27.09.1996 JP 25646496
- (71) Applicant: Shikoku Kakoki Co., Ltd. Itano-gun Tokushima (JP)
- (72) Inventors:
 - Abe, Kazuo, Shikoku Kakoki Co., Ltd. Itano-gun, Tokushima (JP)

- Kitajima, Hiroshi, Shikoku Kakoki Co., Ltd. Itano-gun, Tokushima (JP)
- · Ueda, Michio, Shikoku Kakoki Co., Ltd. Itano-gun, Tokushima (JP)
- (74) Representative:

Vollebregt, Cornelis Jacobus, Ir. et al Algemeen Octroolbureau **World Trade Center** P.O. Box 645 5600 AP Eindhoven (NL)

Heating device for heat-sealing bottom portions of containers (54)

(57)A heating device for heat-sealing bottom portions of containers (11) comprises a primary heater (41) and a secondary heater (42) arranged respectively at a first stop station and a second stop station of bottom forming radial mandrels, each of the mandrels (32) being adapted to carry a tubular blank (11) of rectangular to square cross section as fitted therearound with a bottom forming end portion thereof projecting outward from the mandrel. The primary heater (41) has a primary hot air nozzle. The secondary heater (42) has a secondary hot air nozzle. The primary hot air nozzle is fixedly provided on a phantom outward extension line of the mandrel as halted in the first stop station so as not to interfere with the end portion of the blank fitted around the halted mandrel and having orifices directed toward local parts h, i, j, k of the region of the end portion to be heated. The secondary hot air nozzle is movable on a phantom outward extension line of the mandrel as halted in the second stop station so as to advance into and retract from the end portion of the blank fitted around the mandrel as halted in the second stop station, and has orifices directed toward a plurality of portions uniformly distributed over the entire region a, b, c, d when the secondary hot air nozzle advances.




FIG.1



EUROPEAN SEARCH REPORT

Application Number EP 97 20 2954

alegory	Citation of document with ind of relevant passa		Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)		
X A	US 4 838 009 A (CONN 13 June 1989 (1989-0 * column 4, line 52	OR RICHARD J ET AL) 6-13)	1 2	B29C65/10 B31B3/64 //B29L23:00		
	figure 12 *					
A	US 3 724 093 A (OLIL 3 April 1973 (1973-0 * figures 4,5 *		2			
				TECHNICAL FIELDS SEARCHED (htt.Cl.6)		
				B29C B65B B29B B31B		
			-			
	The present search report has be		Example			
	Place of search THE HAGUE Date of completion of the search 29 December 199		g Coi	Examiner rdenier, J		
	CATEGORY OF CITED DOCUMENTS					
X:pa Y:pa	ricularly relevant if taken alone ricularly relevant if combined with anoth current of the same category	E : earlier patent of after the filing of er D : document cite	T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons 8: member of the same patent family, corresponding			

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 97 20 2954

This annex lists the patent family members relating to the patent documents cited in the above—mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29-12-1999

	Patent document cited in search report		Publication date	Patent family member(s)	Publication date	
	US	4838009	A	13-06-1989	NONE	
	US	3724093	A	03-04-1973	NONE	
ļ						
ŀ						
<u>s</u>						
FORM PO459						
<i>:</i>						

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82